


SPEAKER

Stands & Accessories



SS7730B
29943

Classic Speaker Stand

The steel-aluminum design on this affordable speaker stand makes it both lightweight and durable. Use either the 1-3/8" diameter upper shaft or the included 1 1/2" adapter sleeve for a universal fit.

Applications: Mid-size speakers
Upper Shaft Tubing: 1-3/8"
Weight Capacity: 160 lbs.
Height Adj.: 44-80"
Base Spread: 32-48"
Construction: Steel and aluminum
Color: Black Powder Coat Finish



SS7761B
74006

All-Aluminum Speaker Stand

Our most versatile speaker stand is also extremely affordable! It is lighter than the SS7730, and features a reversible-shaft design. It may be used with either 1-3/8" or 1 1/2" speaker cabinet inserts. No adapter sleeve is necessary.

Applications: Mid-size speakers
Upper Shaft Tubing: 1-3/8" or 1 1/2"
Weight Capacity: 120 lbs.
Height Adj.: 44-80"
Base Spread: 32-48"
Construction: Aluminum
Color: Black Powder Coat Finish

[DISPLAY]

Both the SS7730B and SS7761B Speaker Stands are available with the color POP displays (at right), making them immediately accessible in the store... a benefit to dealers and consumers alike.



SPEAKER



SS7725B
49196


All-Steel Speaker Stand

The all-steel SS7725B utilizes a 1-3/8" upper shaft. It also includes a 1 1/2" adapter, making it compatible with all standard pole-mountable speakers. It features a 2-section vertical shaft, eight preset height adjustment holes, and a locking pin for added security. The tripod base folds flat and non-slip rubber end caps add stability.

Applications: Mid-size speakers
Upper Shaft Tubing: 1-3/8"
Weight Capacity: 120 lbs.
Height Adj.: 46-74"
Construction: All-steel
Color: Black Powder Coat Finish

Other Features:

1. Tension height adjustment knob and safety pin for added safety.
2. Locking/Retractable leg housing with 120° design for low center of gravity and equal weight distribution.



LS/SS7770
79004

10-Foot Universal Lighting/Speaker Stand

Larger than life! Reaching 10 feet and supporting up to 140 lbs., the LS/SS7770 gets lights above the band and speakers above the audience for a truly impressive production. It features 3 shafts, 2 clutches, steel-aluminum construction, locking height pins, and extra long double-braced legs. A reversible top shaft means it can be used with 1-3/8" and 1 1/2" lighting bars or speaker mounts.

Applications: Lighting/Mid-size speakers
Upper Shaft Tubing: 1-3/8" or 1 1/2"
Weight Capacity: 140 lbs.
Height Adj.: 44-120"
Base Spread: 38-58"
Construction: Steel and aluminum
Color: Black Powder Coat Finish

Other Features for LS/SS7770:

Height adjusts up to 10-feet with tension locking knobs, while the wide base spread adds stability.



SS7766B
34703

Airhead Speaker Stand

This Airhead features a built-in air chamber that lowers even the heaviest speaker cabinets gently on a cushion of air. A pneumatic shock absorber in the center shaft prevents the speaker cabinet from accidentally sliding for increased safety. Adjusting the cabinet is now easier with a six "stop-point" locking system.

Applications: Mid-size speakers
Upper Shaft Tubing: 1-3/8"
Weight Capacity: 80 lbs.
Height Adj.: 47-80"
Base Spread: 32-48"
Color: Black Powder Coat Finish

How it works:

The bottom of the upper shaft is capped, and a pin hole in the bottom of the center shaft controls the release of air.



SS8800B+
28846

POWER Crank-Up Speaker Stand

By far the easiest method of raising speaker cabinets 80" off the floor. The easy-to-use POWER Crank-Up height adjustment system operates with either the removable manual handle or any standard electric or cordless drill. The upper shaft is constructed from extruded aluminum and the gear teeth are milled into the shaft, making it the most affordable solution on the market to cranking up speaker cabinets! Power drill not included.

Applications: Small speaker cabinets
Upper Shaft Tubing: 1-3/8"
Weight Capacity: 80 lbs.
Height Adj.: 31-61"
Base Spread: 18"
Color: Black Powder Coat Finish

Other Features for SS8800B+:

Raise or lower your speakers using either the removable manual handle or a power drill.



Dealers - Ask about our promotional Power Drill offer today! It works with both the LS7805B lighting stand and the SS8800B+ speaker stand.





SMS6000-P
35490

Near-Field Monitor Stand

This stand is designed with home and project recording studios in mind. The height adjusts for listening while sitting or standing and locks in place with a security pin. Three adjustable leveling spikes on the bottom of the base keep this stand stable on any carpeted surface. The entire stand breaks down into three pieces for easy storage and travel. SMS6000-P Packaged and sold in pairs.

- Applications:** Studio Monitors
- Platform:** 9.5" Square platform with 1mm thick non-slip pad
- Weight Capacity:** 90 lbs.
- Height Adj.:** 31-61"
- Base Spread:** 18"
- Construction:** Steel
- Color:** Black Powder Coat Finish

Other Features:

1. The clutch and locking security pin make height adjustments quick and easy; also ensure that both the stand and equipment are safe and secure.
2. 18" Base with 3 leveling spikes keeps stand stable on carpeted surfaces.



SSP7850
77020

Professional Steel Speaker Stand Pak

This Speaker Stand Pak includes two height adjustable steel speaker stands, two external mounting brackets and one convenient carry bag that holds all of the above. The all-steel speaker stands with 1-3/8" upper shafts feature 2-section vertical shafts, 8 preset height adjustment holes, and locking pins for added security.

Pak includes:

- (2) Tripod Speaker Stands**
All-steel, with 1-3/8" upper shafts. 2-Section vertical shafts with eight preset height adjustment holes and locking pins.
Weight Capacity: 120 lbs.
Stand Height Adj.: 46-74"
- (2) Speaker Stand Mounting Brackets**
Fit on 1-3/8" stand and mount to many speaker cabinets. Constructed from heavy-duty plastic.
- (1) Speaker Stand Bag**
Bag features a drawstring closure and center divider. Will hold both speaker stands and brackets.



SSP7950
76059

All-Aluminum Speaker Stand Pak

This Speaker Stand Pak features two of our top-selling speaker stands and our top-selling bag! The Pak includes two all-aluminum, height adjustable speaker stands and one convenient carry bag that holds both stands. The all-aluminum speaker stands feature reversible upper shafts, 8 preset height adjustment holes, and locking pins for added security.

Pak includes:

- (2) Tripod Speaker Stands**
All-aluminum with reversible 1-3/8" or 1 1/2" upper shaft. 2-Section vertical shaft.
Weight Capacity: 120 lbs.
Stand Height Adj.: 44-80"
- (1) Speaker Stand Bag**
Bag features an adjustable shoulder carrying strap, 2 carrying handles, and a heavy-gauge 2-pull zipper. Holds 2 speaker stands.



A. SS7740
74009
Subwoofer Attachment Shaft
This heavy-duty 1-3/8" aluminum shaft connects bass enclosures on the stage floor to high-frequency cabinets.

B. SS7740S
74008
Subwoofer Attachment Shaft
Same design as SS7740B, but with two SSA1.5 adapters included.

SS7740B / SS7740S
Upper Shaft Tubing: 1-3/8"
Shaft length: 42"
Weight Capacity: 160 lbs.

C. SS7745
35627
Adjustable Subwoofer Attachment Shaft
All-steel shaft adjusts from 36-60" with a friction locking knob and security pin for added safety.

Upper Shaft Tubing: 1-3/8"
Shaft length: 36-60"
Weight Capacity: 80 lbs.



SS7321W
40980
Corner Wall Mount Speaker Bracket, Ivory
Ideal for sound contractors. Mount this bracket on walls at night clubs, recording studios, home multi-media rooms, schools or just about anywhere! For mounting in corners. Features an ivory finish.

SS7321B
40982
Corner Wall Mount Speaker Bracket, Black
Same design as SS7321W, but with black finish.

SS7321W / SS7321B
Applications: Small-Medium Speaker Cabinets
Weight Capacity: 40 lbs.
Shaft length: 19.75"
Angle Adjustment: 90-30°
Construction: Steel



Other Features for SS7321W/B & SS7322B:

1. Ergonomic 2" knob adjusts tilt angle from 90° to 30°. 90 Interlocking teeth mesh together to form a solid adjustable pivot point for tilting your speakers.
2. Added solid-steel pin serves as a safety-stop. 9mm Steel bolt and nut.




SS7322B
40983
Adjustable Wall Mount Speaker Bracket
Ideal for sound contractors. Mount this bracket on walls at night clubs, recording studios, home multi-media rooms, schools or just about anywhere! For mounting on flat surfaces. This adjustable bracket features a tilting angle adjustment as well as a 30° swivel hinge.


Applications: Small-Medium Speaker Cabinets
Weight Capacity: 80 lbs.
Shaft length: 12.5"
Angle Adjustment: 90-30°
Construction: Steel
Color: Black Powder Coat Finish



Adjustable tilt features on the SS7321W/B and SS7322B allows you to mount various speaker cabinets:
1. At upright 90° position, you can mount a 22" deep speaker cabinet.
2. At 30° tilt down position, you can mount a 30" deep speaker cabinet.



Adjustable swivel features on the SS7322B and SS7323B are supported by a nut and bolt (shown at right); strong enough to support up to 80 lbs. (SS7322B) or 100 lbs. (SS7323B).





SS7323B
49712



Wall Mount Speaker Bracket

Ideal for sound contractors. Mount this bracket on walls at night clubs, recording studios, home multi-media rooms, schools or just about anywhere! For mounting on flat surfaces. This adjustable bracket features a tilting angle adjustment as well as a 30° swivel hinge.

Applications: Small-Medium Speaker Cabinets
Weight Capacity: 100 lbs.
Shaft length: 13"
Angle Adjustment: 45-90°
Construction: Steel
Color: Black Powder Coat Finish

Adjustable tilt features on the SS7323B allows you to mount various speaker cabinets:

1. At upright 90° position, you can mount a 22" deep speaker cabinet.
2. At 45° tilt down position, you can mount a 30" deep speaker cabinet.



SS7912B
79121

Universal Wall Mount

Mounts to wall or ceiling and attaches to small speakers. Features tilting design. 1-3/8" - 1 1/2" adapter sleeve included.

SS7914B
48516

Wall Mount Speaker Bracket

Ideal for sound contractors. Mount this bracket on walls at night clubs, recording studios, home multi-media rooms, schools or just about anywhere! With the included adapter sleeve, this wall mount makes for a universal fit: 1-3/8" - 1 1/2". Includes screws for assembly.

SS7912B

Weight Capacity: 15 lbs.
Construction: All-steel
Color: Black Powder Coat Finish

SS7914B

Weight Capacity: 80 lbs.
Construction: All-steel
Color: Black Powder Coat Finish



SS7920B
39955

Dual Mount Speaker Bracket

Safely and conveniently mounts two speaker cabinets. Constructed from steel, this bracket mounts to most standard speaker stand shafts. Features 1 3/8" inserts and a black powder coat finish. Recommended for use with the heavy-duty LS/SS7770 10-Foot Universal Lighting/Speaker Stand (pg. 38).

Applications: Mounting two speaker cabinets with 1 3/8" inserts.
Bracket Length: 20" from center of one insert to the other
Color: Black Powder Coat Finish



Cabinet Adapters & Inserts

- A. SSA2 - Speaker Stand Adapter Sleeve** 79165
Fits on 1-3/8" stand for use with speaker cabinets that have 1 1/2" inserts.
- B. SSA3 - Speaker Stand Adapter Sleeve** 29773
Sits on 1-3/8" stand to reduce the shaft to 1" and mounts into a speaker cabinet.
- C. SSA1.375 - Speaker Cabinet Insert** 79155
Fits on 1-3/8" stand and mounts into a speaker cabinet.
- D. SSA1.5 - Speaker Cabinet Insert** 79160
Same as above, but use for 1 1/2" cabinets.

EB9760
5135

Exterior Mounting Bracket

Fits on 1-3/8" stands and mounts to any speaker cabinet. Mounting hardware included.



Dimensions: 7-3/8 x 4-3/8"
Construction: Heavy-duty plastic

SSB-6500
35543

Heavy-Duty Speaker Stand Bag

A must for every roadie, this rugged padded nylon bag provides ample room for either two speaker stands, six mic stands or various drum hardware. Features an adjustable shoulder strap with metal clip for fast removal. Also includes hand straps for convenient handling. Two heavy gauge metal pulls are attached to the zipper so that the bag can be zipped at the center or side. All seams are crafted with corded piping that gives the bag its rigid shape.

Dimensions: (l)50 x (w)10 x (h)5"

